

ALYTES - VOLUMES 1 ET 2 (1982 ET 1983)

INDEX DES NOMS SCIENTIFIQUES D'AMPHIBIENS
(NOMS DU GROUPE-GENRE ET DU GROUPE-ESPECE)**Afrixalus**

- dorsalis* (2) 136, 137, 144.
- fulvovittatus* (2) 136.
- fulvovittatus brevipalmatus* (2) 136, 137.
- paradorsalis* (2) 132, 133.

Alytes (2) 118.

- obstetricans* (1) 10, 29, 33, 39; (2) 5, 22, 23, 35, 38, 40.
- obstetricans boscai* (2) 23, 24.
- o. obstetricans* (1) 24, 25; (2) 23.

Arthroleptis

- adelphus* (2) 129, 132, 133.
- poecilnotus* (2) 129.

Astylosternus

- batesi* (2) 139, 140.
- diadematus* (2) 139, 140.
- fallax* (2) 144.
- laurenti* (2) 144.
- montanus* (2) 139, 140.
- ranoides* (2) 139.
- rheophilus* (2) 139.

Barbourula (2) 116.**Bombina**

- variegata* (1) 10, 11, 29, 33, 38, 39; (2) 2, 4, 5, 7, 30, 35, 37, 38, 56.
- v. variegata* (1) 24, 25.

Buergeria

- robusta* (2) 160.

Bufo

- bufo* (1) 10, 14, 33, 38, 40; (2) 5, 7, 30, 38, 41, 56, 59, 174.
- b. bufo* (1) 26, 27.
- bufo spinosus* (1) 38.
- calamita* (1) 10, 26, 27, 29, 33, 38; (2) 5, 30, 36, 38, 42.
- maculatus* (2) 134.
- regularis* (2) 136.
- viridis* (1) 10, 11; (2) 5, 58.

Cardioglossa

- elegans* (2) 141, 142.
- escalerae* (2) 144, 145.
- gracilis* (2) 132, 133, 136.
- gratiosa* (2) 136.
- leucomystax* (2) 136.
- pulchra* (2) 139.

Chirixalus

- eiffingeri* (2) 160.

Conraua

- crassipes* (2) 136.
- robusta* (2) 144, 145.

Cynops

- cyanurus* (2) 48.
- orientalis* (2) 48, 49.
- orphyicus* (2) 45, 46, 47, 48, 49, 50, 51.
- pyrrhogaster* (2) 45, 48, 51.
- shataukokensis* (2) 45, 46, 48, 51.

Didynamipus

- sjoestedti* (2) 134.

Dimorphognathus

- africanus* (2) 132, 136.

Discoglossus

- pictus* (1) 10, 11; (2) 4, 5.
- sardus* (1) 10; (2) 5.

Euphlyctis (2) 164.

- occipitalis* (2) 136.

Euproctus

- asper* (1) 10, 11, 14; (2) 5.
- montanus* (1) 10, 14; (2) 5.

Gastrotheca (2) 118.*Hydromantes*

- italicus* (1) 10, 11; (2) 4, 5.

Hyla

- arborea* (1) 10, 11, 14, 29, 39, 40; (2) 5, 56, 59, 174.
- a. arborea* (1) 26, 27; (2) 11.
- arborea sarda* (1) 10.
- meridionalis* (1) 10, 11, 14, 33, 39; (2) 5, 27, 36, 38, 42, 174.
- viridis* (1) 39.

Hylarana

- albolabris* (2) 132, 133.
- asperrima* (2) 144, 145.
- galamensis* (2) 134.
- longipes* (2) 132, 133.

Hymenochirus (2) 116.*Hyperolius*

- balfouri* (2) 136.
- balfouri viridistriatus* (2) 134, 135.
- concolor* (2) 144.
- fusciventris* (2) 141.
- fusciventris burtoni* (2) 141, 143.
- guttulatus* (2) 144.
- krebsi* (2) 134.
- ocellatus* (2) 132, 136.
- pardalis* (2) 141, 143, 144.
- sylvaticus* (2) 141.
- sylvaticus nigeriensis* (2) 141, 143.

Kassina

- cassinoides* (2) 134.

Leptobrachella (2) 147, 148.

- mjoebergi* (2) 147.

Leptobrachium (2) 147, 148.

- ailaonicum* (2) 148.
- boringii* (2) 148.

Leptobrachium

- chapaense* (2) 148.
- hasseltii* (2) 148.
- hendricksoni* (2) 148.
- leishanense* (2) 148.
- liui* (2) 148.
- minimum* (2) 149.
- montanum* (2) 148.
- nigrops* (2) 148.
- pelodytoides* (2) 149.
- pullum* (2) 148.
- yaoshanense* (2) 148.

Leptodactylodon

- axillaris* (2) 139.
- bicolor* (2) 136, 138.
- boulengeri* (2) 141.
- ovatus* (2) 141.
- perreti* (2) 136, 138, 139.
- ventrimarmoratus* (2) 141.

Leptolalax (2) 148.

- bouretti* (2) 150, 151.
- gracilis* (2) 149.
- heteropus* (2) 149.
- pelodytoides* (2) 149, 150, 151.
- pelodytoides oshanensis* (2) 149.
- p. pelodytoides* (2) 149.

Leptopelis

- aubryi* (2) 133.
- boulengeri* (2) 136.
- calcaratus* (2) 132, 133.
- notatus* (2) 136.
- ocellatus* (2) 144, 145.
- sp.* (2) 132, 133, 134, 135, 136.

Megophrys (2) 147.

- oshanensis* (2) 149.
- pelodytoides* (2) 150.

Nyctibates

- corrugatus* (2) 141.

Opisthothylax

- immaculatus* (2) 132, 133, 136.

Oreolalax (2) 148.**Pachytriton**

- brevipes* (2) 46, 48.

Felobates

- cultripis* (1) 10, 33, 38; (2) 5, 35, 38, 40.
- fuscus* (1) 10, 29; (2) 5, 171.

Pelodytes

- punctatus* (1) 10, 25, 26, 33, 38, 39; (2) 5, 30, 35, 36, 41.

Petropedetes

- newtoni* (2) 141.
- cameronensis* (2) 141.

Phlyctimantis

- leonardi* (2) 134.

- Phrynobatrachus*
calcaratus (2) 144.
hylaïos (2) 136.
- Phrynodon*
sandersoni (2) 141.
- Pipa* (2) 116, 118.
- Polypedates*
leucomystax (2) 159, 160.
- Pseudis* (2) 116.
- Pseudobufo* (2) 116.
- Ptychadena*
mascareniensis (2) 134.
oxyrhynchus (2) 134.
schubotzi (2) 134.
- Pyxicephalus*
fodiens (2) 164.
pluvialis (2) 164.
- Rana*
agilis (1) 62.
arvalis (1) 10, 11, 14, 57; (2) 4, 5.
a. arvalis (1) 57.
arvalis issaltschikovi (1) 57.
arvalis wolterstorffi (1) 57.
breviceps (2) 163, 164, 165.
b. breviceps (2) 167.
breviceps rolandae (2) 167.
catesbeiana (2) 70, 87, 88.
dalmantina (1) 63.
dalmatina (1) 10, 11, 14, 27, 28, 29, 33, 37, 38, 56, 57, 62, 63, 64, 67;
(2) 4, 5, 37, 38, 56, 59.
dobsonii (2) 164.
esculenta (1) 27, 28, 42, 43, 44, 45, 46, 47; (2) 7, 77, 81.
esculenta chinensis (1) 42.
esculenta lessonae (1) 42, 43.
esculenta ridibunda (1) 42.
esculenta typica (1) 42.
fusca (1) 65.
fusca acutirostris (1) 62.
fusca honorati (1) 65.
glacialis (1) 58; (2) 19, 20, 21, 23, 24, 25, 26.
graeca (1) 57; (2) 56, 59.
hexadactyla (2) 98.
honorati (1) 10, 65; (2) 38.
honorati (1) 65.
iberica (1) 10, 56, 57, 58, 59, 60, 61, 64.
latastei (1) 57.
lessonae (1) 10, 27, 28, 43, 44, 45, 46; (2) 77.
leucorhynchus (2) 164.
parambukulamana (2) 164.
perezi (1) 10, 33, 37, 38, 39, 40, 45, 46; (2) 5, 38, 77.
punctata (2) 21.
ridibunda (1) 10, 14, 43, 44, 45, 47; (2) 75, 76, 87.
ridibunda perezi (1) 43, 63.
r. ridibunda (1) 43.
rufescens (2) 164.

Rana

- sp. (groupe/complexe de *R. esculenta*; *R. "esculenta"*; grenouilles vertes) (1) 10, 32, 40, 42, 45, 46, 47; (2) 5, 30, 36, 38, 43, 53, 54, 56, 59, 70, 74, 171.
- sp. (groupe/complexe de *R. temporaria*; grenouilles brunes) (1) 32, 56; (2) 19, 36, 37, 70, 77.
- strachani* (2) 165.
- swani* (2) 165.
- temporaria* (1) 10, 11, 40, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66; (2) 4, 5, 19, 20, 22, 23, 25, 37, 38, 79, 82.
- temporaria canigonensis* (1) 58; (2) 19, 20, 21, 22, 23, 24, 25, 26.
- temporaria canigonica* (2) 19, 20, 24, 26.
- temporaria honorati* (1) 57, 65.
- temporaria parvipalmata* (1) 57; (2) 19, 24.
- t. temporaria* (1) 27, 28, 57, 59, 65; (2) 19, 24.
- tigerina* (2) 98.
- variegata* (2) 164.

Rana (Tomopterna)

- breviceps* (2) 163.
- b. breviceps* (2) 166.
- breviceps rolandae* (2) 166.

Rhacophorus

- chenfui* (2) 155, 159.
- moltrrechtii* (2) 155, 159, 160.
- owstoni* (2) 154, 159, 161.
- prasيناتus* (2) 154, 155, 156, 157, 158, 159, 160, 161.
- taipeianus* (2) 155, 159, 160, 161.
- viridis* (2) 154, 159, 161.

Rheobatrachus

- silus* (2) 116, 117, 118, 119, 120, 121, 122.

Rhinoderma

- darwinii* (2) 118.

Salamandra

- atra* (1) 10, 11; (2) 2, 3, 5.
- salamandra* (1) 10, 11, 19, 33, 40, 41; (2) 5, 7, 39, 56, 58, 59.
- salamandra terrestris* (1) 21, 22, 36, 39; (2) 33, 38.

Salamandrina

- terdigitata* (2) 58.

Scotobleps

- gabonicus* (2) 141, 142.

Scutigera

- (2) 148.

Sphaeroteca

- strigata* (2) 164, 165, 167, 168.

Tomopterna

- (2) 163, 164, 167.

- strachani* (2) 165.

Triturus

- alpestris* (1) 10, 11; (2) 5, 9, 13, 15, 16, 56, 57, 59, 61.
- a. alpestris* (1) 22, 23; (2) 16.
- alpestris apuanus* (2) 9, 10, 11, 12, 13, 14, 15, 16, 55.
- alpestris cyreni* (2) 16.
- alpestris inexpectatus* (2) 11, 12, 13, 14, 15, 16, 55, 58, 59, 61.
- blasii* (1) 23, 29.
- crisatus* (1) 10, 11, 18, 21, 23; (2) 5, 30, 34, 38, 56, 58, 59.
- crisatus carnifex* (2) 11.

Triturus

- c. cristatus* (1) 22, 23.
- cristatus x marmoratus* (1) 23.
- helveticus* (1) 10, 11, 33, 36, 39, 40; (2) 5, 7, 34, 38, 39.
- helveticus alonsoi* (1) 36.
- h. helveticus* (1) 24, 25.
- italicus* (1) 36; (2) 11, 16, 56, 58, 59.
- marmoratus* (1) 10, 11, 18, 19, 21, 37; (2) 5, 34, 38.
- m. marmoratus* (1) 22, 23.
- vulgaris* (1) 10, 11; (2) 5.
- v. vulgaris* (1) 24, 25.

Vibrissaphora (2) 148.

Wolterstorffina

- mirei* (2) 139.

Xenopus (2) 116.

- epitropicalis* (1) 53.
- tropicalis* (1) 53, 54.